

PRODUCT-DETAILS

# 1LE22212AD114AA3

## No Description Available

### General Information

Global Commercial Alias	1LE22212AD114AA3
Product ID	7B1LE22212AD114AA3
ABB Type Designation	MOTOR,2,900,GP100,208,230/460,213T
Catalog Description	No Description Available

### Additional Information

ABB Type Designation	MOTOR,2,900,GP100,208,230/460,213T
Ambient Temperature	40 °C
Bearing	6208, Ball
Bearing NDE	6208
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1LE22212AD114AA3
Country of Origin	Mexico (MX)
Customs Tariff Number	8501520400
Drive End Flange Type	Standard
Efficiency Level	Premium Efficiency (NEMA 12-12)
Electrical Data	

**Current**

An error has occurred while processing HtmlTextBox ":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":  
The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC
Frame Material	Cast Iron



---

**Freq**

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

---

---

**Power**

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

---

---

**Speed**

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

---

---

**Voltage**

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":  
The expression contains undefined function call GetListItemValue().

---

Frame Size	Undefined
Global Commercial Alias	1LE22212AD114AA3
Gross Volume	0.165 m <sup>3</sup>
Gross Weight	61 lb
IP Class	IP55
Insulation Class	F
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Foot Mounted
Motor Frame Size	213T
Mounting Orientation	Horizontal
Mounting Position	F1
NEMA Design Code	B
Number of Phases	3
Number of Poles	8
Number of Poles (High)	8
Number of Speeds	single_speed
Order Multiple	1 piece
Output Power	2 Hp 1.5 Hp
Power Factor	67 %
Product Name	General Purpose CI
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	55 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I <sub>n</sub> )	6.17 A 6.6 A 3.09 A 3.3 A
Rated Efficiency	84.0 %
Rated Speed	725 r/min 870 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Standards	NEMA
Starting of Motor	Direct on line
Stocked At (Warehouses)	Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico
	900 r/min 750 r/min
Type of Duty	Continuous
Voltage Rating	200 V 230 V 400 V 460 V









