

PRODUCT-DETAILS

1LE23212AA114AA3

No Description Available

General Information

Global Commercial Alias	1LE23212AA114AA3
Product ID	7B1LE23212AA114AA3
ABB Type Designation	MOTOR,7.5,3600,SD100,230/460,213T,N
Catalog Description	No Description Available

Additional Information

ABB Type Designation	MOTOR,7.5,3600,SD100,230/460,213T,N
Ambient Temperature	40 °C
Bearing	6208, Ball
Bearing NDE	6208
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1LE23212AA114AA3
Country of Origin	Mexico (MX)
Customs Tariff Number	8501520400
Drive End Flange Type	Standard
Efficiency Level	Premium Efficiency (NEMA 12-12)
Electrical Data	

Current

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().
An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().
An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().
An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC
Explosion Proof Group	Class I, Group A, B, C & D



Freq

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Class	
Frame Material	Cast Iron
Frame Size	Undefined
Global Commercial Alias	1LE23212AA114AA3
Gross Volume	0.165 m ³
Gross Weight	79 lb
IP Class	IP55
Insulation Class	F
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Foot Mounted
Motor Frame Size	213T
Mounting Orientation	Horizontal
Mounting Position	F1
NEMA Design Code	B
Number of Phases	3
Number of Poles	2
Number of Poles (High)	2
Number of Speeds	single_speed
Order Multiple	1 piece
Output Power	7.5 Hp 5 Hp
Power Factor	89.2 %
Product Name	LVM Severe Duty - GDL (SD100)
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	73 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	13.6 A 17.6 A 6.8 A 8.8 A
Rated Efficiency	89.5 %
Rated Speed	2948 r/min 3520 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Standards	NEMA
Starting of Motor	Direct on line
Stocked At (Warehouses)	Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico 3000 r/min 3600 r/min
Temperature Class	T3
Type of Duty	Continuous
Voltage Rating	200 V 230 V 400 V 460 V

