1LE63214BC212AA1 1/10

PRODUCT-DETAILS

1LE63214BC212AA1

No Description Available

General Information		
Global Commercial Alias	1LE63214BC212AA1	
Product ID	7B1LE63214BC212AA1	
ABB Type Designation	MOTOR,125,1200,SD200,460,445T	
Catalog Description	No Description Available	

Additional Information	
ABB Type Designation	MOTOR,125,1200,SD200,460,445T
Ambient Temperature	40 °C
Bearing	6320, Ball
Bearing NDE	6315
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1LE63214BC212AA1
Country of Origin	Mexico (MX)
Customs Tariff Number	8501530400
Drive End Flange Type	Standard
Efficiency Level	Premium Efficiency (NEMA 12-12)
Electrical Data	

Current

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC	
Explosion Proof Group Class	Class I, Group A, B, C & D, Class II, Group F & G	
Frame Material	Cast Iron	
Frame Size	Undefined	
Global Commercial Alias	1LE63214BC212AA1	
Gross Volume	0.656 m³	

1LE63214BC212AA1 2/10



Freq

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

1LE63214BC212AA1 3/10

Power

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

1LE63214BC212AA1 4/10

Speed

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

1LE63214BC212AA1 5/10

Voltage

An error has occurred while processing HtmlTextBox ": The expression contains undefined function call GetListItemValue().

1LE63214BC212AA1 6/10

Gross Weight	744 lb	
IP Class	IP55	
Insulation Class	н	
Made To Order	No	
Minimum Order Quantity	1 piece	
Motor Base Type	Foot Mounted	
Motor Frame Size	445T	
Mounting Orientation	Horizontal	
Mounting Position	F1	
NEMA Design Code	В	
Number of Phases	3	
Number of Poles	6	
Number of Poles (High)	6	
Number of Speeds	single_speed	
Order Multiple	1 piece	
Output Power	125 Hp 100 Hp	
Power Factor	79.8 %	
Product Name	LVM Severe Duty (SD200)	
Product Net Depth / Length	0 in	
Product Net Height	0 in	
Product Net Weight	716 lb	
Product Net Width	0 in	
Product Type	Undefined	
Quote Only	No	
Rated Current (I _n)	147.8 A 155 A	
Rated Efficiency	95.0 %	
Rated Speed	991 r/min 1190 r/min	
Selling Unit of Measure	piece	
Service Factor	1.15	
Shaft Grounding	Mounting Provisions Only	
Standards	NEMA	
Starting of Motor	Direct on line	
Stocked At (Warehouses)	Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico	
	1000 r/min 1200 r/min	
Temperature Class	T3	
Type of Duty	Continuous	
Voltage Rating	400 V 460 V	

1LE63214BC212AA1	7/10

1LE63214BC212AA1	8/10

1LE63214BC212AA1	9/10

1LE63214BC212AA1		

10/1