

PRODUCT-DETAILS

1PC65255TC512AA1

No Description Available

General Information

Global Commercial Alias	1PC65255TC512AA1
Product ID	7B1PC65255TC512AA1
ABB Type Designation	MOT_3F_DP200_CRUSHER_460V_R587_400-
Catalog Description	No Description Available

Additional Information

ABB Type Designation	MOT_3F_DP200_CRUSHER_460V_R587_400-
Ambient Temperature	40 °C
Bearing	NU324, Roller
Bearing NDE	6322
Brake Present	No
Brand / Label	ABB NEMA Motors
Catalog Number	1PC65255TC512AA1
Country of Origin	United States (US) Mexico (MX)
Customs Tariff Number	8501530400
Drive End Flange Type	Standard
Efficiency Level	Premium Efficiency (NEMA 12-12)
Electrical Data	

Current

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Enclosure Type	TEFC
Explosion Proof Group Class	Class I, Group A, B, C & D, Class II, Group F & G
Frame Material	Cast_Iron
Frame Size	Undefined
Global Commercial Alias	1PC65255TC512AA1



Freq

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Gross Volume	0.917 m ³
Gross Weight	2187.8 lb
IP Class	IP65
Insulation Class	H
Made To Order	No
Minimum Order Quantity	1 piece
Motor Base Type	Foot Mounted
Motor Frame Size	R587
Mounting Orientation	Horizontal
Mounting Position	F1
NEMA Design Code	A
Number of Phases	3
Number of Poles	6
Number of Poles (High)	6
Number of Speeds	single_speed
Order Multiple	1 piece
Output Power	220 kW 400 Hp
Power Factor	81.1 %
Product Name	-
Product Net Depth / Length	0 in
Product Net Height	0 in
Product Net Weight	2187.8 lb
Product Net Width	0 in
Product Type	Undefined
Quote Only	No
Rated Current (I _n)	478 A
Rated Efficiency	96.2 %
Rated Speed	995 r/min 1193 r/min
Selling Unit of Measure	piece
Service Factor	1.15
Shaft Diameter	4.38 in
Standards	NEMA
Starting of Motor	Direct on line
Stocked At (Warehouses)	China Alabama, United States Fort Smith Ar, United States Tlajomulco de Zuniga, Mexico 1000 r/min 1200 r/min
Type of Duty	Continuous
Voltage Rating	400 V 460 V

