



PRODUCT-DETAILS

CPX14246T

Severe Duty Motor 1.5 Hp 190 V (CPX14246T)



General Information	
Global Commercial Alias	CPX14246T
Product ID	7BCPX14246T
ABB Type Designation	2//1.5HP,1760//1465RPM,3PH,60//50HZ
Catalog Description	Severe Duty Motor 1.5 Hp 190 V (CPX14246T)

Ordering	
ABB Type Designation	2//1.5HP,1760//1465RPM,3PH,60//50HZ
Invoice Description	2//1.5HP,1760//1465RPM,3PH,60//50HZ,145T
Product Name	Explosion Proof Severe Duty
Product Type	Undefined
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	United States (US)
Customs Tariff Number	85015220
Stocked At	China

(Warehouses)

Alabama, United States
Alaska, United States

Medium Description	Explosion Proof Severe Duty, 2 HP, 1800//1500 RPM, Frame Size 145T, Standard Mounting, 3 Phase, XPFC Enclosure, 230/460//190/380 V,
Short Description	2 HP, 1800//1500 RPM, Frame Size 145T, Standard, 3 PH, XPFC, 230/460//190/380 V

Electrical

Electrical Data

Current	Freq	Power	Speed	Voltage
5.8 A	60 Hz	2 Hp	1750 r/min	230 V
2.9 A	60 Hz	2 Hp	1750 r/min	460 V
5.6 A	60 Hz	2 Hp	1760 r/min	230 V
2.8 A	60 Hz	2 Hp	1760 r/min	460 V

Frequency (f)	50 Hz 60 Hz
Output Power	1.5 Hp 2 Hp
Ambient Temperature	40 °C
IP Class	IP55
Insulation Class	F
Number of Poles (High)	4
Type of Duty	Continuous

Mechanical

Frame Material	Iron
Frame Size	145

Dimensions

Product Net Depth / Length	21.625 in
Product Net Height	15.125 in
Product Net Width	16.125 in
Product Net Weight	120 lb
Gross Weight	120 lb

Classifications

Standards	NEMA
UNSPSC	26101112

Categories

Motors and Generators → Motors and Generators for Explosive Atmospheres → Explosion Proof Motors → Explosion Proof Severe Duty, 1.15 SF Motors

