



PRODUCT-DETAILS

CXM050742A

Explosion Proof General Purpos 0.75 Hp 208 V (CXM050742A)



General Information

Global Commercial Alias	CXM050742A
Product ID	7BCXM050742A
ABB Type Designation	0.75HP,1725RPM,3PH,60HZ,56C,XPFC,F1
Catalog Description	Explosion Proof General Purpos 0.75 Hp 208 V (CXM050742A)

Ordering

ABB Type Designation	0.75HP,1725RPM,3PH,60HZ,56C,XPFC,F1
Invoice Description	0.75HP,1725RPM,3PH,60HZ,56C,XPFC,F1
Product Name	Explosion Proof General Purpos
Product Type	Undefined
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece
Country of Origin	United States (US)
Customs Tariff Number	85015100
Stocked At	China

(Warehouses)

Alabama, United States
Alaska, United States

Medium Description	Explosion Proof General Purpos, 0.75 HP, 1800 RPM, Frame Size 56C, C-Face Mounting, 3 Phase, XPFC Enclosure, 208-230/460 V, 60 Hz (C
Short Description	0.75 HP, 1800 RPM, Frame Size 56C, C-Face, 3 PH, XPFC, 208-230/460 V

Electrical

Electrical Data

Current	Freq	Power	Speed	Voltage
3.2 A	60 Hz	.75 Hp	1725 r/min	208 V
3 A	60 Hz	.75 Hp	1725 r/min	230 V
1.5 A	60 Hz	0.75 Hp	1725 r/min	460 V

Frequency (f)	60 Hz
Output Power	0.75 Hp
Ambient Temperature	40 °C
Insulation Class	B
Number of Poles (High)	4
Type of Duty	Continuous

Mechanical

Frame Material	Steel
Frame Size	56

Dimensions

Product Net Depth / Length	19.375 in
Product Net Height	13.123 in
Product Net Width	13.75 in
Product Net Weight	35 lb
Gross Weight	35 lb

Classifications

Standards	NEMA
-----------	------

Categories

Motors and Generators → Motors and Generators for Explosive Atmospheres → Explosion Proof Motors → Explosion Proof General Purpose Motors

