




---

 PRODUCT-DETAILS

# M3218TX

## 5HP, 1750RPM, 3PH, 60HZ, 184T, 3630M, OPSB, F1




---

**General Information**

Global Commercial Alias	M3218TX
Product ID	7BM3218TX
ABB Type Designation	5HP, 1750RPM, 3PH, 60HZ, 184T, 3630M, OPS
Catalog Description	5HP, 1750RPM, 3PH, 60HZ, 184T, 3630M, OPSB, F1

---

**Additional Information**

ABB Type Designation	5HP, 1750RPM, 3PH, 60HZ, 184T, 3630M, OPS
Ambient Temperature	40 °C
Brand / Label	Baldor-Reliance
Catalog Number	M3218TX
Certification Agency	CSA UR
Country of Origin	United States (US)
Customs Tariff Number	85015220
Efficiency Level	Energy Efficiency (NEMA 12-11) IE2 Not Regulated / Exempt

**Electrical Data**

Current	Freq	Power	Speed	Voltage
15.6 A	60 Hz	5 Hp	1750 r/min	208 V
14.4 A	60 Hz	5 Hp	1750 r/min	230 V

Enclosure Type	OPSB
Frame Material	Steel
Frame Size	Undefined
Global Commercial Alias	M3218TX
Gross Volume	3780 in <sup>3</sup>
Gross Weight	69 lb
Invoice Description	5HP,1750RPM,3PH,60HZ,184T,3630M,OPSB,F1
Made To Order	No
Medium Description	Frame Size 184T, 3 Phase, OPSB Enclosure, (M3218TX)
Minimum Order Quantity	1 piece
Motor Base Type	Rigid
Motor Frame Size	184T
NEMA Design Code	A
Number of Phases	3
Number of Speeds	Single Speed
Order Multiple	1 piece
Product Name	GP 3PH Open
Product Net Depth / Length	20 in
Product Net Height	13.5 in
Product Net Weight	69 lb
Product Net Width	14 in
Product Type	Undefined
Quote Only	No
Selling Unit of Measure	piece
Service Factor	1.15
Short Description	Frame Size 184T, 3 PH, OPSB,
Standards	NEMA
Starting of Motor	Direct On Line
Stocked At (Warehouses)	China Alabama, United States Alaska, United States
UNSPSC	26101115

