

PRODUCT-DETAILS

M7056TX

20//15HP,1760//1460RPM,3PH,60//50HZ,256 T

General Information

Global Commercial Alias	M7056TX
Product ID	7BM7056TX
ABB Type Designation	20//15HP,1760//1460RPM,3PH,60//50HZ
Catalog Description	20//15HP,1760//1460RPM,3PH,60//50HZ,256T

Additional Information

ABB Type Designation	20//15HP,1760//1460RPM,3PH,60//50HZ
Ambient Temperature	40 °C
Brand / Label	Baldor-Reliance
Certification Agency	CSA CSA EEV UL UR
Country of Origin	United States (US)
Customs Tariff Number	85015220
Efficiency Level	Energy Efficiency (NEMA 12-11) IE2 Not Regulated / Exempt

Electrical Data

Current

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox ":
The expression contains undefined function call GetListItemValue().

Enclosure Type	XPFC
Frame Material	Iron
Frame Size	Undefined
Global Commercial Alias	M7056TX
Gross Weight	167.072 kg
Invoice Description	20//15HP,1760//1460RPM,3PH,60//50HZ,256T
Made To Order	No



Freq

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Power

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Speed

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Voltage

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

An error has occurred while processing HtmlTextBox "":
The expression contains undefined function call GetListItemValue().

Minimum Order Quantity	1 piece
Motor Base Type	Rigid
Motor Frame Size	256T
NEMA Design Code	A
Number of Phases	3
Number of Speeds	Single Speed
Order Multiple	1 piece
Product Name	LV Explosion Proof Motors
Product Net Depth / Length	0 cm
Product Net Height	0 cm
Product Net Weight	167.072 kg
Product Net Width	0 cm
Product Type	Undefined
Quote Only	No
Selling Unit of Measure	piece
Service Factor	1.00
Standards	NEMA
Starting of Motor	Direct On Line
Stocked At (Warehouses)	China Alabama, United States
UNSPSC	26101115







