




---

 PRODUCT-DETAILS

# CR160MC3282AACAAA

## 160M Lighting Contactor- CR160MC3282AACAAA




---

**General Information**

Global Commercial Alias	CR160MC3282AACAAA
Extended Product Type	160M Lighting Contactor-CR160MC3282AACAAA
Product ID	7GSP017666R0006
Catalog Description	160M Lighting Contactor-CR160MC3282AACAAA
Long Description	160M Lighting Contactor - Mechanical Held,3Poles,30Amps,277V coil,Type 1

---

**Ordering**

Minimum Order Quantity	1 EA
Customs Tariff Number	8536490065
Product Main Type	Lighting Contactor

---

**Dimensions**

Product Net Width	15.9 in
Product Net Depth / Length	25 in

Product Net Height	6.5 in
Product Net Weight	62 lb

## Technical

Number of Poles	3
-----------------	---

## Technical UL/CSA

Full Load Amps AC Resistance (Heating)	30 A
--	------

## Material Compliance

WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

## Certificates and Declarations

Declaration of Conformity - CCC	No certification needed
Declaration of Conformity - UKCA	No certification needed
UL Certificate	E30541

## Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	16.2 in
Package Level 1 Depth / Length	25.5 in
Package Level 1 Height	7 in
Package Level 1 Gross Weight	62 lb

## Classifications

eClass	V11.1 : 27111005
ETIM 6	EC000533 - Lighting control system component
ETIM 7	EC000533 - Lighting control system component
ETIM 8	EC000533 - Lighting control system component
ETIM 9	EC000533 - Lighting control system component
UNSPSC	39121529

---

**Categories**

---

Low Voltage Products and Systems → Control Products → Contactors → Lighting Contactors

