




---

 PRODUCT-DETAILS

# FPT400B

## 3 INCH P-T LOWER UNIT




---

**General Information**

Extended Product Type	FPT400B
Product ID	7TAA003390R0000
Catalog Description	3 INCH P-T LOWER UNIT
Long Description	Poke-Through Base Unit, 3 Inch Drill Size, 16 Inch Length, 1/2 Inch and 3/4 Inch Knockouts, Galvanized Steel

---

**Ordering**

UPC	786210715261
Country of Origin	United States (US)
Selling Unit of Measure	each

---

**Container Information**

Package Level 1 Units	1 EA
Package Level 1 Width	127 mm 5 in
Package Level 1 Height	160.02 mm

	6.3 in
Package Level 1 Depth / Length	302.26 mm 11.9 in
Package Level 2 Units	126 EA
Package Level 2 Width	0 mm 0 in
Package Level 2 Height	0 mm 0 in
Package Level 2 Depth / Length	0 mm 0 in

---

### Additional Information

Application	For fire rated concrete floors
Brand / Label	Steel City
Effective Date	19891120
Material	Phenolic/Galvanized Steel
Number of Knockouts	10
Product Name	Other
Product Type	Poke Through Systems
Special Functions	Intumescent fire-retardant material expands up to 7 times its volume to close power and data raceways in case of fire.
Standards	UL E2969

---

### Certificates and Declarations

Data Sheet, Technical Information	TDS000540
-----------------------------------	-----------

---

### Classifications

UNSPSC	39121328
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4482 >> Fire rated poke through box

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Electrical Boxes

