



PRODUCT-DETAILS

LT6XES03B-K

LFMC SS316 XT 3/4in Blk 150m/500ft



General Information

Extended Product Type	LT6XES03B-K
Product ID	7TAA012LW0R0012
EAN	5415022446760
Catalog Description	LFMC SS316 XT 3/4in Blk 150m/500ft
Long Description	Liquid Tight Flexible Metallic Conduit, Extreme Temperature, 316 Stainless Steel Core with TRP Jacket (UL94-HB), Conduit Size 3/4 Inch, Length 150 Meters/500 Feet, Working Temperature -55 to 150 Degrees C, Compliant to RoHS and WEEE, Black

Additional Information

Product Type	Flexible Metal Conduit
--------------	------------------------

Ordering

EAN	5415022446760
UPC	786210154916

Dimensions

Product Net Depth / Length	500 ft
----------------------------	--------

Technical

Number of Batteries	0
Color	Black
Material	316 Stainless Steel Core with TRP Jacket

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	500 ft
Package Level 1 Height	762 mm 30 in
Package Level 1 Depth / Length	508 mm 20 in
Package Level 1 Width	762 mm 30 in

Certificates and Declarations

Data Sheet, Technical Information	TDS000117
Instructions and Manuals	LT6XES03B-K
Declaration of Conformity - CE	9AKK107492A9902

Classifications

ETIM 8	EC001179 - Protective metallic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

