

PRODUCT-DETAILS

UNF905-G1 PVC CTD UNF FEM UNION 3-1/2IN GRY



Extended Product Type	UNF905-G1
Product ID	7TAA087450R0023
Catalog Description	PVC CTD UNF FEM UNION 3-1/2IN GRY
Long Description	PVC Coated Explosion and Dust-Ignition Proof UNF Female Union, Pipe Size 3-1/2 Inch/91 Metric, 3 Piece, for Hazardous and Non-hazardous Locations, Overall Length 4.16 Inch/105.66 Millimeters, Overall Diameter 5.69 Inch/144.53 Millimeters, Electrogalvanized Steel,Gray
Additional Information	To Connect Conduit to Conduit, or to Provide a Means for Future Modification of the Conduit System
Application	To Connect Conduit to Conduit, or to Provide a Means for Future
	To Connect Conduit to Conduit, or to Provide a Means for Future Modification of the Conduit System
Application	To Connect Conduit to Conduit, or to Provide a Means for Future Modification of the Conduit System

© 2024 ABB. All rights reserved.

2024/10/27

Subject to change without notice

Dimensions	
Product Net Depth /	4.16 in
Length	105.66 mm

Fechnical	
Number of Batteries	0
Color	Gray
Material	Steel

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	3 EA
Package Level 1 Height	171.45 mm 6.75 ir
Package Level 1 Depth / Length	377.698 mm 14.87 ir
Package Level 1 Width	330.2 mm 13 ir

Certificates and Declarations	
Data Sheet, Technical Information	UNF905-G1
Instructions and Manuals	UNF905-G1

Classifications	
ETIM 8	EC000939 - Coupler for installation tubes
UNSPSC	39131707

Categories

Low Voltage Products and Systems \rightarrow Installation Products \rightarrow Cable Protection, Explosion Proof and Lighting \rightarrow Rigid Cable Protection Systems

© 2024 ABB. All rights reserved.

2024/10/27

