



PRODUCT-DETAILS

HTEX34T080

15.5KV 80A EX FULL-RANGE IN-2TAG



General Information

Extended Product Type	HTEX34T080
Product ID	7TAA120750R0107
Catalog Description	15.5KV 80A EX FULL-RANGE IN-2TAG
Long Description	15.5kV 80 Amp EX Style Full Range Current-Limiting Capacitor Fuse, Indoor, Bus Mount with Blown Fuse Indicator

Ordering

UPC	783786510344
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm

	0 in
Package Level 1 Depth / Length	0 mm
	0 in
Package Level 2 Units	3 EA
Package Level 2 Width	330.2 mm
	13 in
Package Level 2 Height	127 mm
	5 in
Package Level 2 Depth / Length	609.6 mm
	24 in

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	50,000 A
-------------------------------------	----------

Additional Information

Application	Indoor Applications used in metal-enclosed capacitor banks, harmonic filter banks and padmounted capacitor banks.
Brand / Label	Hi-Tech
Current Rating	80 A
Effective Date	20061214
Material	Resin-Rich Filament Wound Glass/Epoxy Body
Mounting Type	Bus Mount
Product Name	In circuits of 2,300 V or more
Product Type	Full-Range Current-Limiting Fuse
Size	Diameter 3.3 in (84mm) Body Length 14.7 in (373mm)
Special Functions	Provide both low and high current fault protection in a single, compact body.
Standards	ANSI/IEEE Standards.
Type of Indicator	Blown Fuse Indicator
Voltage Rating	15.5 kV

Certificates and Declarations

Data Sheet, Technical Information	HTEX34T080
-----------------------------------	------------

Classifications

ETIM 7	EC003507 - Medium-/high voltage fuse
ETIM 8	EC003507 - Medium-/high voltage fuse
UNSPSC	39121626
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4980 >> Medium voltage fuse

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

