



 PRODUCT-DETAILS

01401240

LOCKING SOCKET CRIMP BARREL ASSEM



Product image
not available

General Information

Extended Product Type	01401240
Product ID	7TAA121510R0009
Catalog Description	LOCKING SOCKET CRIMP BARREL ASSEM
Long Description	Locking Socket and Crimp Barrel Assembly, includes Pin, Disc Spring, Crimp Barrel, Protective Cap, Locking Key, Contact Spring, Socket Contact. 1/0 Stranded or Compressed. 2/0 Solid or Compact. Barrel is Aluminum and is 2.187 inch long x .595 inch Diameter. Locking Contact is Tin Plated Tellurium Copper and is 2.492 inch long.

Ordering

UPC	783786352289
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	25.4 mm

	1 in
Package Level 1 Height	25.4 mm
	1 in
Package Level 1 Depth / Length	25.4 mm
	1 in

Additional Information

Brand / Label	Elastimold
Connection Type	Compression
Current Rating	200 A
Effective Date	20100813
Material	Aluminum
Product Name	Terminals, electrical splices and electrical couplings
Product Type	Locking Socket and Crimp Barrel
Surface Finishing	Tin Plated
Voltage Rating	15 to 25 kV
Wire Size	1/0 STR/COMPR AWG 2/0 SOL/COMPT AWG

Certificates and Declarations

Data Sheet, Technical Information	01401240
-----------------------------------	----------

Classifications

UNSPSC	39121409
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4543 >> Wire connectors

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories



Product image
not available