

PRODUCT-DETAILS

252LR-E5270-G 25KV 200A DB-ELBOW W-GROUNDING WIRE



Extended Product Type	252LR-E5270-G
Product ID	7TAA121600R0225
Catalog Description	25KV 200A DB-ELBOW W-GROUNDING WIRE
Long Description	15/25 kV, 200 Amp, Deadbreak Elbow Connector with Test Point, Cable Insulatior Diameter 1.09-1.31 inches (27.48-33.27 mm), Copper Lug, Conductor Size 270 - 4/0 Stranded/Compressed, 250 kcmil Solid/Compact. Kit Includes Elbow Connector Housing, Lug, Probe, Probe Wrench, Standard Bail Assembly, V.D. Cap-Peroxide, Tube of Lubricant, Crimp Chart and Installations Instructions. 5.454 x 7.531 inches, 2.097 inch diameter. Includes Bonding/Grounding Wire

Ordering	
UPC	75114401012
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

© 2024 ABB. All rights reserved.

Subject to change without notice

Package Level 1 Units	1 EA
Package Level 1 Width	485.648 mm
-	19.12 in
Package Level 1 Height	317.5 mm
	12.5 in
Package Level 1 Depth /	266.7 mm
Length	10.5 in

Additional Information

Additional information	
Application	15/25kV, 200 Amp Deadbreak Connector
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Current Rating	200 A
Effective Date	20190605
Environmental Conditions	Fully Submersible
Includes	Elbow Connector Housing, Compression Lug, Probe, Probe Wrench, Bail Assembly, Lubricant, Installation Instructions, Crimp Chart, V.D. Cap- Peroxide, Grounding and Bonding Wire
Insulation Material	Yes EPDM Rubber
Material	Housing - EPDM Rubber
Product Name	Terminals, electrical splices and electr ical couplings
Product Type	Deadbreak Elbow Connector with Test Point
Size	Length 7.531 inch from bottom edge to center of Installation O-Ring. Width 5.454 inch.
Special Functions	Fully Shielded, fully Submersible Molded Rubber Housing. Provision for Hot Stick Operation. Non-Corrosive, Capacitive Test Point. Bonding/Grounding Wire
Standards	ANSI/IEEE Standard 386
Temperature Range	-40 to +65 °C
Voltage Rating	15 to 25 kV

Certificates and Declarations

Data Sheet, Technical	252LR-E5270-G
Information	

Classifications	
UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

 $\mathsf{Low}\ \mathsf{Voltage}\ \mathsf{Products}\ \mathsf{and}\ \mathsf{Systems} \to \mathsf{Installation}\ \mathsf{Products}\ \to \mathsf{Cable}\ \mathsf{Accessories}\ \mathsf{and}\ \mathsf{Apparatus}\ \to \mathsf{Cable}\ \mathsf{Accessories}$

