



 PRODUCT-DETAILS

274AFLR3-C5230

25KV FUSE ELBOW SIZE 3 NO SEALING



General Information

Extended Product Type	274AFLR3-C5230
Product ID	7TAA124130R0021
Catalog Description	25KV FUSE ELBOW SIZE 3 NO SEALING
Long Description	25kv Fuse Elbow Size 3 Housing, No Sealing Kit, 25 kV Fused Elbow Large Housing with Insulation Diameter Range of .805 inch-1.060 inch and Bi-Metal Connector for #1 Stranded/Compressed Conductor or 1/0 Solid/Compact Conductor.

Ordering

UPC	75114317610
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 EA
Package Level 1 Width	120.65 mm 4.75 in

Package Level 1 Height	400.05 mm 15.75 in
Package Level 1 Depth / Length	368.3 mm 14.5 in

Additional Information

Application	17.2kV, 3-45 Amps
Brand / Label	Elastimold
Color	Black
Connection Type	Compression
Effective Date	20160831
Insulation Material	EPDM Rubber
Material	Housing EPDM Rubber ; Lug BiMetal
Product Name	Terminals, electrical splices and electrical couplings
Product Type	Molded Fuse Housing
Size	Approximately 9-1/4 inch wide x 17 inches long
Special Functions	Two Direct Test Ports, Large Housing
Standards	IEEE 386 Standard
Temperature Range	-40 to +65 °C
Voltage Rating	17.2 kV

Certificates and Declarations

Data Sheet, Technical Information	274AFLR3-C5230
-----------------------------------	----------------

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

