



PRODUCT-DETAILS

XPMSH

XPRF MAG MTR STARTER ENCL ONLY 3/4



Product image not available

General Information

Extended Product Type	XPMSH
Product ID	7TAA137150R002
EAN	5415022415087
Catalog Description	XPRF MAG MTR STARTER ENCL ONLY 3/4
Long Description	Explosionproof Magnetic Motor Starter Enclosure Only, Includes Reset Button, Overall Dimensions: Width 17 Inches, Length 22-1/4 Inches, Depth 10-3/4 Inches, Inside Dimensions: Width 12 Inches, Length 18 Inches, Depth 8 Inches, UL, CSA, Approved for Class I, Division 1 and 2, Groups B, C, and D, Class II, Division 1 and 2, Groups E, F, and G and Class III Hazardous Locations. Copper-Free Aluminum with Stainless Steel Hardware

Additional Information

Application	For General Motor Control and Circuit Protection - Indoors and Outdoors - in Damp, Wet, Dirty, Dusty Hazardous Locations Without the Need for a Protective Shelter
Product Type	Explosionproof Motor Starter Enclosure

Ordering

EAN	5415022415087
-----	---------------

UPC 786210131474

Dimensions

Product Net Weight 105 lb
47.619 kg

Technical

Number of Batteries 0
Color Metallic
Material Copper-Free Aluminum with Stainless Steel Hardware
Size Width 17 Inches, Length 22-1/4 Inches, Depth 10-3/4 Inches

Environmental

WEEE Category Product Not in WEEE Scope

Container Information

Package Level 1 Units 1 EA
Package Level 1 Height 474.726 mm
18.69 in
Package Level 1 Depth / Length 609.6 mm
24 in
Package Level 1 Width 854.202 mm
33.63 in

Certificates and Declarations

Data Sheet, Technical Information XPMSH
Instructions and Manuals XPMSH

Classifications

ETIM 8 EC002503 - Explosion proof enclosure/housing
UNSPSC 39121314

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Hazardous Lighting & Enclosures



Product image
not available