



PRODUCT-DETAILS

ALS16

AL COMP LUG 2HOLE 250-300 6IN



General Information

Extended Product Type	ALS16
Product ID	7TAA268500R0036
Catalog Description	AL COMP LUG 2HOLE 250-300 6IN
Long Description	Aluminum Two-Hole Lug - Straight Long Barrel, Wire Range 266 26/7, 6/7, 18/1 ASCR, 250-300 Stranded, 350 Compact, 1/2 Inch Bolt Size, Blind-End, Hydraulic Dies: B80EA, EEI 13A, 655, 1 1/8, 321, 96H, CSA 26. For Aluminum and Copper Conductors

Ordering

UPC	783786050819
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	25 EA
Package Level 1 Width	170.18 mm 6.7 in

Package Level 1 Height	187.96 mm 7.4 in
Package Level 1 Depth / Length	210.82 mm 8.3 in
Package Level 2 Units	100 EA
Package Level 2 Width	350.52 mm 13.8 in
Package Level 2 Height	195.58 mm 7.7 in
Package Level 2 Depth / Length	434.34 mm 17.1 in

Environmental

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information

Application	For Aluminum and Copper Conductor.
Brand / Label	Blackburn
Cable Size	266 (26/7) ACSR kcmil 266(6/7) ACSR kcmil
Connection Type	Compression
Effective Date	19991027
Material	Aluminum
Mounting Type	NEMA Standard Mounting Holes
Product Name	"TERMINALS, ELECTRICAL SPLICES"
Product Type	Compression Connector
Special Functions	PreFilled with Compound. Complete Die and Crimp information clearly indented on each lug. Installed with standard tools and dies. Use 1/2 inch mounting hardware for all sizes.

Certificates and Declarations

Data Sheet, Technical Information ALS16

Classifications

UNSPSC	39121405
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4532 >> Cable or wire lug

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Distribution Connectors

