C125MCG 1/3



PRODUCT-DETAILS

C125MCG

C125M WITH COVER AND GASKET



General Information	
Extended Product Type	C125MCG
Product ID	7TAD013210R0003
Catalog Description	C125M WITH COVER AND GASKET
Long Description	1-1/4 Inch Series 35 Unipak Type C Conduit Body, Cover and Gasket, Body Material and Finish Malleable Iron Zinc Plated with Aluminum, Acrylic Coating, Cover Material and Finish Stamped Steel Zinc Plated, Gasket Material Neoprene

Application	Conduit Bodies are Installed In Conduit Systems to Connect Sections, Act As Pull Outlets When Conductors are Being Installed and Provide Easy Access for Splices In Branch Conductors
Product Type	Series 35 Unipak Conduit Body, Cover & Gasket

UPC

786209868824

C125MCG 2/3

Technical	
Number of Batteries	0
Material	Malleable Iron

Environmental	
WEEE Category	Product Not in WEEE Scope
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information	
Package Level 1 Units	5 EA
Package Level 1 Height	95.25 mm 3.75 in
Package Level 1 Depth / Length	361.95 mm 14.25 in
Package Level 1 Width	241.3 mm 9.5 in

Certificates and Declarations	
Data Sheet, Technical Information	C125MCG
Instructions and Manuals	C125MCG

Classifications	
ETIM 8	EC003618 - Form part for installation tubes
UNSPSC	39131708

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Rigid\ Cable\ Protection\ Systems$

C125MCG 3/3

