




PRODUCT-DETAILS

OELB2-TB

3/4IN C- BODY IRON OE-LB-STYLE XP



General Information

Extended Product Type	OELB2-TB
Product ID	7TAD013530R0003
Catalog Description	3/4IN C- BODY IRON OE-LB-STYLE XP
Long Description	3/4 Inch GUAB Hazardous Location Conduit Outlet Box, Box Ductile Iron Zinc Plated, Cover Die Cast Aluminum, 7.9 Cubic Inch

Additional Information

Application	OE Series are Installed In Conduit Systems Within Hazardous Areas To: (1) Protect Conductors In Threaded Rigid Conduit, (2) Act As Pulling and Splice Fittings, (3) Interconnect Lengths of Conduit, (4) Change Direction of Conduit, (5) Provide Access for Maintenance and Future System Changes.
Product Type	Conduit Outlet Bodies-Explosionproof

Ordering

UPC	786210912424
-----	--------------

Technical

Number of Batteries	0
Material	Ductile Iron

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	2 EA
Package Level 1 Height	130.81 mm 5.15 in
Package Level 1 Depth / Length	176.53 mm 6.95 in
Package Level 1 Width	123.19 mm 4.85 in

Certificates and Declarations

Data Sheet, Technical Information	OELB2-TB
Instructions and Manuals	OELB2-TB

Classifications

ETIM 8	EC003618 - Form part for installation tubes
UNSPSC	39131708

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Rigid Cable Protection Systems

