



PRODUCT-DETAILS

CBA 70 CU MECHANICAL LUG 4-14



General Information			
Extended Product Type	CBA 70		
Product ID	7TAH006700R0033		
Catalog Description	CU MECHANICAL LUG 4-14		
Copper Mechanical Lug, #14 - #4 wire size, Bolt hole size 1/4 inch. CSA/UL listed. Collar 37/64 inch High x 7/16 inch Long. Offset Tang 1/2 inch Tang width, X 1-5/16 inch long x .08 inch Thick with One .26 inch Diameter Hole. Tin Plated Steel Slotted Set Screw 1/4 -28 UNF-2A. 1000 pieces		l L	
Ordering			
UPC	783786710744		
Country of Origin	United States (US)		
Selling Unit of Measure	each		
Container Information			
Package Level 1 Units	100 EA		
Package Level 1 Width	0 mm	0 mm	
© 2024 ABB. All rights reserved.	2024/10/25 Subject to change	Subject to change without notic	

	0 in
Package Level 1 Height	0 mm
	0 in
Package Level 1 Depth /	0 mm
Length	0 in
Package Level 2 Units	1000 EA
Package Level 2 Width	25.4 mm
	1 in
Package Level 2 Height	25.4 mm
	1 in
Package Level 2 Depth /	25.4 mm
Length	1 in

RoHS Status

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information	
Brand / Label	Blackburn
Cable Size	14-4 AWG
Current Rating	70 A
Effective Date	20080619
Insulation Material	Ν
Material	Copper
Mounting Type	Screw
Product Name	Terminals, electrical splices and electr ical couplings; wafer probers
Product Type	Lug
Stud Size	1/4 in

Certificates and Declarations	
Data Sheet, Technical Information	CBA 70

Classifications		
UNSPSC	39121405	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4532 >> Cable or wire lug	

Categories

Low Voltage Products and Systems \rightarrow Installation Products \rightarrow Wire Management and Connectivity \rightarrow Compression & Mechanical Connectors

