CU30 1/3



PRODUCT-DETAILS

## **CU30**

## CU TP SPLICE LONG BRL 3/0STR ORG



General Information	
Extended Product Type	CU30
Product ID	7TAH007510R0026
Catalog Description	CU TP SPLICE LONG BRL 3/0STR ORG
Long Description	Type CU Copper Splice, Long Barrel, 2-1/4 Inch Length, Max 35kV, Wire Size 3/0 Str, Tin Plated. Die Color Code Orange

Ordering	
UPC	783786132218
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	10 EA
Package Level 1 Width	71.12 mm
	2.8 in
Package Level 1 Height	58.42 mm

CU30 2/3

	2.3 in
Package Level 1 Depth / Length	83.82 mm 3.3 in
Package Level 2 Units	100 EA
Package Level 2 Width	160.02 mm 6.3 in
Package Level 2 Height	101.6 mm 4 in
Package Level 2 Depth / Length	325.12 mm 12.8 in

Additional Information	
Application	For use on aluminum conductors
Brand / Label	Color Keyed / Blackburn
Color	Orange
Effective Date	19991027
Insulation Material	None
Material	Copper
Product Name	"TERMINALS, ELECTRICAL SPLICES"
Product Type	Splice Connector
Special Functions	Made of high-conductivity seamless copper tubing. Tin plated for corrosion resistance.
Standards	UL E9809
Sub Brand / Label	Blackburn
Surface Finishing	Tin Plated
Voltage Rating	35 kV

Certificates and Declarations	
Data Sheet, Technical	CU30
Information	

Classifications	
ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
ETIM 8	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

CU30 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$ 

