CU40 1/3



PRODUCT-DETAILS

## **CU40**

## CU TP SPLICE LONG BRL 4/0STR PUR



General Information	
Extended Product Type	CU40
Product ID	7TAH007510R0030
EAN	5415022245165
Catalog Description	CU TP SPLICE LONG BRL 4/OSTR PUR
Long Description	Type CU Copper Splice, Long Barrel, 2-3/4 Inch Length, Max 35kV, Wire Size 4/0 Str, Tin Plated. Die Color Code Purple

Ordering	
EAN	5415022245165
UPC	783786132225
Country of Origin	Mexico (MX)
Selling Unit of Measure	each

## **Container Information**

Package Level 1 Units 10 EA

CU40 2/3

Package Level 1 Width	71.12 mm
	2.8 in
Package Level 1 Height	58.42 mm
	2.3 in
Package Level 1 Depth /	83.82 mm
Length	3.3 in
Package Level 2 Units	100 EA
Package Level 2 Width	162.56 mm
	6.4 in
Package Level 2 Height	101.6 mm
	4 in
Package Level 2 Depth /	320.04 mm
Length	12.6 in
Package Level 3 Units	25200 EA
Package Level 3 Width	0 mm
	0 in
Package Level 3 Height	0 mm
	0 in
Package Level 3 Depth /	0 mm
Length	0 in

Additional Information	
Application	For use on aluminum conductors
Brand / Label	Color Keyed / Blackburn
Color	Purple
Effective Date	19991027
Insulation Material	None
Material	Copper
Product Name	"TERMINALS, ELECTRICAL SPLICES"
Product Type	Splice Connector
Special Functions	Made of high-conductivity seamless copper tubing. Tin plated for corrosion resistance.
Standards	UL E9809
Sub Brand / Label	Blackburn
Surface Finishing	Tin Plated
Voltage Rating	35 kV

Certificates and Declarations	
Data Sheet, Technical	CU40
Information	

Classifications		
ETIM 6	EC001059 - Crimp splices for copper conductor	
ETIM 7	EC001059 - Crimp splices for copper conductor	
ETIM 8	EC001059 - Crimp splices for copper conductor	
UNSPSC	39121449	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice	

CU40 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Compression\ \&\ Mechanical\ Connectors$ 

