




---

 PRODUCT-DETAILS

# 24ESL350U/0

## 24V STL UNIT AD (SHP 2 CTNS)




---

**General Information**

Extended Product Type	24ESL350U/0
Product ID	7TBA127450R0081
Catalog Description	24V STL UNIT AD (SHP 2 CTNS)
Long Description	Battery Unit, Battery Type: lead-calcium, Voltage DC: 24V, Battery Wattage: 350W, Colour: factory white, 120/347VAC, diagnostics, audible, self-powered, Lamp Type: no lamps, Battery Run Time (Minimum): 30 minutes

---

**Additional Information**

Product Main Type	Emergency Lighting
Application	Commercial, Industrial
Product Type	Battery Unit

---

**Ordering**

UPC	782683026323
-----	--------------

---

**Dimensions**

Product Net Height	10.25 in
Product Net Depth / Length	23.125 in
Product Net Width	5.5 in

---



---

**Technical**

Mounting Type	Ceiling
Number of Lamps	0
Number of Batteries	0
Battery Chemical Composition	Lead-Calcium
Color	Factory White
Material	Steel
	350 W
Voltage Rating	120/347 V AC 24 V DC
Size	16-1/8 Inches Height x 23-1/8 Inches Width

---



---

**Environmental**

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

**Container Information**

Package Level 1 Units	1 EA
Package Level 1 Height	416.56 mm 16.4 in
Package Level 1 Depth / Length	601.98 mm 23.7 in
Package Level 1 Width	144.78 mm 5.7 in

---



---

**Certificates and Declarations**

Data Sheet, Technical Information	24ESL350U/0
Instructions and Manuals	24ESL350U/0

---



---

**Classifications**

UNSPSC	39111709
--------	----------

---

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

