12DEL72UN/2LJ 1/3



PRODUCT-DETAILS

12DEL72UN/2LJ 12V EM QBIC UNIT C/W ADNA



General Information	
Extended Product Type	12DEL72UN/2LJ
Product ID	7TBA127780R0033
Catalog Description	12V EM QBIC UNIT C/W ADNA
Long Description	Battery Unit, Battery Type: lead-calcium, Voltage DC: 12V, Battery Wattage: 72W, 120/347VAC, diagnostics, non-audible, two lamps, Lamp Type: MR16 LED, Lamp Voltage: 12V, Lamp Wattage: 6W, self-powered, Head Style: shielded, Battery Run Time (Minimum): 30 minutes

Additional Information	
Product Main Type	Emergency Lighting
Application	Commercial, Industrial
Product Type	Battery Unit
Ordering	
UPC	782683513144

12DEL72UN/2LJ 2/3

Dimensions	
Product Net Height	4.75 in
Product Net Depth / Length	30.75 in
Product Net Width	4.75 in

Technical	
Mounting Type	Ceiling or Wall
Lamp Type	MR16 LED
Number of Lamps	2
Number of Batteries	0
Material	Cabinet: Steel / Cubes: Thermoplastic
	72 W
Power Watt	6 W
Voltage Rating	120/347 V AC
	12 V DC
Size	4-1/2 Inches Height x 30-3/4 Inches Width

Environmental

WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Height	134.62 mm 5.3 in
Package Level 1 Depth / Length	863.6 mm 34 in
Package Level 1 Width	134.62 mm

Certificates and Declarations		
Data Sheet, Technical Information	12DEL72UN/2LJ	
Instructions and Manuals	12DEL72UN/2LJ	

Classifications	
UNSPSC	39111709

12DEL72UN/2LJ 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Emergency\ Lighting$

