



PRODUCT-DETAILS

# RAC1W6402LD1U2

## 6V40W LED ALUM COMBO PICTO 120/277V



### General Information

Extended Product Type	RAC1W6402LD1U2
Product ID	7TBA134170R0140
Catalog Description	6V40W LED ALUM COMBO PICTO 120/277V
Long Description	Pictogram Combination Unit, single face, universal mount, Battery Type: lead-calcium, 120/277VAC, Voltage DC: 6V, Battery Wattage: 40W, self-powered, Colour: factory white, two lamps, Lamp Type: MR16 LED, Lamp Voltage: 6V, Lamp Wattage: 4W, Head Style: standard, Battery Run Time (Minimum): 30 minutes

### Additional Information

Product Main Type	Emergency Lighting
Application	Industrial
Product Type	Pictogram Combination Unit

### Ordering

UPC	624050099427
-----	--------------

**Dimensions**

Product Net Height	12-1/8 in
Product Net Depth / Length	14-1/2 in
Product Net Width	4-5/8 in
Product Net Weight	11.99961 lb 5.442 kg

**Technical**

Mounting Type	Universal
Lamp Type	MR16 LED
Number of Lamps	2
Number of Batteries	1
Battery Chemical Composition	Lead-Calcium
Battery Weight	3 lb
Color	Factory White
Material	Housing/Frame: Extruded aluminum
	40 W
Power Watt	4 W
Voltage Rating	120/347 V AC 6 V DC
Size	12-1/8 Inches Height x 14-1/2 Inches Width

**Environmental**

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

**Container Information**

Package Level 1 Units	1 EA
Package Level 1 EAN	0624050099427
Package Level 1 Height	228.6 mm 9 in
Package Level 1 Depth / Length	383.54 mm 15.1 in
Package Level 1 Width	317.5 mm 12.5 in
Package Level 1 Gross Weight	12 lb

**Certificates and Declarations**

Data Sheet, Technical Information	9AKK108469A1953
Instructions and Manuals	9AKK108469A1880
Declaration of Conformity - CE	No declaration needed
REACH Declaration	No declaration needed

---

## Classifications

---

UNSPSC

39111707

---

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

