



 PRODUCT-DETAILS

LDX24-550NEXRF

24V STEEL UNIT NEXUS WIRELESS



General Information

Extended Product Type	LDX24-550NEXRF
Product ID	7TBA134610R0008
Catalog Description	24V STEEL UNIT NEXUS WIRELESS
Long Description	Battery Unit, Battery Type: lead-calcium, Voltage DC: 24V, Battery Wattage: 550W, NEXUS wireless system interface, Colour: factory white, 120/347VAC, no lamps, self-powered, Battery Run Time: 30 minutes

Additional Information

Product Main Type	Emergency Lighting
Application	Commercial, Industrial
Product Type	Battery Units

Ordering

UPC	624050087936
-----	--------------

Dimensions

Product Net Height	10.25 in
Product Net Depth / Length	23.125 in
Product Net Width	5.5 in

Technical

Mounting Type	Wall
Number of Lamps	0
Number of Batteries	0
Battery Chemical Composition	Lead-Calcium
Color	Factory White
Material	Rugged steel
	550 W
Voltage Rating	120/347 V AC
Size	16-1/8 Inches Height x 23-1/8 Inches Width

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	1 EA
Package Level 1 Height	416.56 mm 16.4 in
Package Level 1 Depth / Length	601.98 mm 23.7 in
Package Level 1 Width	144.78 mm 5.7 in

Certificates and Declarations

Data Sheet, Technical Information	LDX24-550NEXRF
Instructions and Manuals	LDX24-550NEXRF

Classifications

UNSPSC	39111709
--------	----------

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

