LDX12-36T2LD10SP26 1/3



PRODUCT-DETAILS

## **LDX12-36T2LD10SP26**12V STEEL T-BAR UNIT A,V,D5,IT,OT



General Information	
Extended Product Type	LDX12-36T2LD10SP26
Product ID	7TBA134750R0083
Catalog Description	12V STEEL T-BAR UNIT A,V,D5,IT,OT
Long Description	Battery Unit, Voltage DC: 12V, Battery Wattage (W): 36, Colour: factory white, 120/347VAC, T-Bar mount, Battery Type: lead-calcium, two lamps, Lamp Type: MR16 LED, Lamp Voltage: 12V, Lamp Wattage: 6W, self-powered, Head Style: standard, Battery Run Time (Minimum): 30 minutes, Cabinet Size: small

Additional Information	
Product Main Type	Emergency Lighting
Product Type	Battery units
Ordering	
UPC	624050092893

LDX12-36T2LD10SP26 2/3

Dimensions	
Product Net Height	10.625 in
Product Net Depth / Length	23.75 in
Product Net Width	4.625 in

Technical	
Lamp Type	MR16 LED
Number of Lamps	2
Number of Batteries	0
Color	Factory White
	36 W
Power Watt	6 W
Voltage Rating	12 V

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 EA
Package Level 1 Height	347.98 mm 13.7 in
Package Level 1 Depth / Length	652.78 mm 25.7 in
Package Level 1 Width	134.62 mm 5.3 in

Data Sheet, Technical Information	LDX12-36T2LD10SP26
Instructions and	LDX12-36T2LD10SP26
Manuals	

Classifications	
UNSPSC	39111709

LDX12-36T2LD10SP26 3/3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Emergency\ Lighting$ 

