



 PRODUCT-DETAILS

91R-F8

CNCTR KIT SCDRY FAA STYLE 12



Product image
not available

General Information

Extended Product Type	91R-F8
Product ID	7TBA136200R0022
Catalog Description	CNCTR KIT SCDRY FAA STYLE 12
Long Description	Secondary Connector Kit - for Terminating two Core Cables. FAA L823, Type 11, Class B. 20 Amps, 600 Volts Between Contacts, 1500 Volts to Earth. Connector Configuration R - Receptacle (Female) Connector FAA L823 Style 12. Outside Diameter Over Insulation F is .575 inch to .785 inch, Wire Size 8 - Concentric/Stranded 14-16 AWG or Solid 12-14 AWG.

Ordering

UPC	708917324928
Country of Origin	United States (US)
Selling Unit of Measure	each

Container Information

Package Level 1 Units	100 EA
-----------------------	--------

Package Level 1 Width	254 mm 10 in
Package Level 1 Height	266.7 mm 10.5 in
Package Level 1 Depth / Length	444.5 mm 17.5 in

Additional Information

Brand / Label	Amerace
Current Rating	20 A
Effective Date	20091013
Insulation Material	Yes
Product Name	Terminals, electrical splices and electrical couplings; wafer probers
Product Type	Secondary Connector Kit - Receptacle FAA Style 12
Standards	ISO 9001, ISO 14001, QMI/SAI Global Certified, CSA Listed.
Voltage Rating	Between contacts 600 V To earth 1,500 V

Certificates and Declarations

Data Sheet, Technical Information	91R-F8
-----------------------------------	--------

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Airfield Lighting



Product image
not available