ISRM40-35 1/3



PRODUCT-DETAILS

ISRM40-35

TRAY/CORD AL FTG-M40 - 30.10-34.80



General Information	
Extended Product Type	ISRM40-35
Product ID	7TBA297190R0015
EAN	5011949241442
Catalog Description	TRAY/CORD AL FTG-M40 - 30.10-34.80
Long Description	Industrial Strain-Relief Fitting, Hub Size M40, Cable Range 30.10 to 34.80mm, CSA Listed, Outer Diameter 58.93mm, Aluminum

Additional Information	
Application	Connection and Strain Relief for Conduit Systems
Product Type	Industrial Strain Relief Fitting

Ordering	
EAN	5011949241442
UPC	786210202969

ISRM40-35 2/3

Technical	
Number of Batteries	0
Color	Metallic
Material	Aluminum
Size	M40

Environmental

WEEE Category Product Not in WEEE Scope

Container Information	
Package Level 1 Units	5 EA
Package Level 1 Height	119.126 mm 4.69 ir
Package Level 1 Depth / Length	150.876 mm 5.94 ir
Package Level 1 Width	150.876 mm 5.94 ir

Certificates and Declarations	
Data Sheet, Technical Information	TDS000027
Instructions and Manuals	ISRM40-35
Declaration of Conformity - CE	9AKK107680A1795

Classifications	
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121719

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

ISRM40-35 3/3

