ABB

PRODUCT-DETAILS

32110208

SER-EC/DIM/FLX

General Information

Extended Product Type	32110208
Product ID	7TCA091140R0027
EAN	8713812754864
Catalog Description	SER-EC/DIM/FLX
Long Description	Slave 230 Volt dimmable surface mount module, including control module, series Serenga

Additional Information

Product Main Type	Central Battery System
Application	Architectural

Ordering

EAN	8713812754864
UPC	783786528028

2024/10/27
Subject to change without notice

Dimensions

Product Net Height	80 mm
Product Net Depth / Length	293 mm
Product Net Width	69 mm
Product Net Weight	1.298745 lb 589 g

Technical

Function	Escape route signage
Functional Testing Capability	Safety Module for Monitoring (Central Feeded System)
Communication	FLX
Mounting Type	Wall surface mounted / ceiling surface mounting
Degree of Protection	IP20
Lamp Type	LED not exchangeable
Number of Lamps	2
Number of Lighting Heads	0
Number of Poles	8
Number of Batteries	0
Housing Color	Grey
Housing Material	Plastic
Ambient Temperature	5 … 25 °C
Ballast Type	Current Controlled
Connection Type	Screw
Cross-Section	Conductor 2.5 mm²
Input Voltage Type	DC
Power Supply Type	Central (Central Battery)
Rated Voltage (U_r)	220 … 230 V
Type of Indicator	Single/double-sided
Wiring Configuration	Wiring system: Continuous circuit/emergency circuit Type of wiring: Suitable for through wiring
Protection Class	Isolated (Class II)

Environmental

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	8713812754864
Package Level 1 Height	2.95 in 75 mm
Package Level 1 Depth / Length	12.4 in 315 mm
Package Level 1 Width	5.31 in 135 mm
Package Level 1 Gross Weight	0.717 kg

Certificates and Declarations

Data Sheet, Technical Information	9AKK107992A8084
Instructions and Manuals	9AKK107992A4854
Declaration of Conformity - CE	9AKK108466A7812
ENEC Certificate	9AKK108470A0227

Classifications

ETIM 8	EC002556 - Electrical accessories for luminaires
UNSPSC	39111709

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

2024/10/27   Subject to change without notice