



## PRODUCT-DETAILS

**GAP0405****KFE STR CONNECTOR**Product image  
not available**General Information**

Extended Product Type	GAP0405
Product ID	7TCA297050R0021
EAN	5011949005273
Catalog Description	KFE STR CONNECTOR
Long Description	Fitting for Covered Conduit, Straight with External Male Thread, Conduit Size 20mm, PG16 Thread, Very High Mechanical and UV Protection, IP54 Rating, Nickel Plated Brass

**Additional Information**

Application	For Insertion Into Threaded Entries and Knockouts Using a Locknut to Secure
Product Type	Metallic Fitting for Covered Conduit

**Ordering**

EAN	5011949005273
UPC	786210241852

---

**Technical**


---

Number of Batteries	0
Color	Metallic
Material	Brass
Size	Conduit Size 20mm ; PG09 Thread

---



---

**Environmental**


---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

**Container Information**


---

Package Level 1 Units	25 piece
Package Level 1 Height	1 in 25 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	1 in 25 mm

---



---

**Certificates and Declarations**


---

Data Sheet, Technical Information	GAP0405
Instructions and Manuals	GAP0405
Declaration of Conformity - CE	9AKK107492A9617
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

**Classifications**


---

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

---



---

**Categories**


---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available