




---

 PRODUCT-DETAILS

# EX10AMC1

## 2-1/2NPT BRASS DC GLAND 45-60MM

"No longer for sale" replaced by




---

**General Information**

|                       |   |
|-----------------------|---|
| Extended Product Type | EX10AMC1  |
| Product ID            | 7TCA297180R0208   |
| EAN                   | 5011949229570   |
| Catalog Description   | 2-1/2NPT BRASS DC GLAND 45-60MM   |
| Long Description      | Double Compression Cable Gland, 2-1/2 Inch NPT Thread, Flameproof Ex d and Increased Safety Ex e, Suitable for use with SWA, SWB, and AWA Conduit, IP66 Rating, Inner Cable Range 45 to 60mm, Outer Cable Range 54 to 70mm, Brass |

---

**Additional Information**

|              |  |
|--------------|--|
| Application  | For Use with SWA (Steel Wired Armoured), AWA (Aluminum Wired Armour), and SWB (Steel Wired Braid) Conduit to Provide Secure Cable Connections Through Knockouts and Threaded Entries |
| Product Type | Double Compression Gland   |

---

**Ordering**

|     |               |
|-----|---------------|
| EAN | 5011949229570 |
| UPC | 786210193977  |

---

## Technical

---

|                     |                |
|---------------------|----------------|
| Number of Batteries | 0              |
| Color               | Metallic       |
| Material            | Brass          |
| Size                | 2-1/2 Inch NPT |

---



---

## Environmental

---

|               |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

---



---

## Container Information

---

|                                   |                   |
|-----------------------------------|-------------------|
| Package Level 1 Units             | 1 piece           |
| Package Level 1 Height            | 3.54 in<br>90 mm  |
| Package Level 1 Depth /<br>Length | 7.09 in<br>180 mm |
| Package Level 1 Width             | 3.54 in<br>90 mm  |

---



---

## Certificates and Declarations

---

|                                      |          |
|--------------------------------------|----------|
| Data Sheet, Technical<br>Information | EX10AMC1 |
| Instructions and Manuals             | EX10AMC1 |

---



---

## Classifications

---

|        |                        |
|--------|------------------------|
| ETIM 8 | EC000441 - Cable gland |
| UNSPSC | 39121431               |

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

