



PRODUCT-DETAILS

EGR1LS1D-S22-00

REC LED SIGN SLAVE 230DIM 22M X LEG



General Information

Extended Product Type	EGR1LS1D-S22-00
Product ID	7TCA304050R0009
EAN	5415022503494
Catalog Description	REC LED SIGN SLAVE 230DIM 22M X LEG
Long Description	Guideway recess escape route signage, 22m, slave, dimmable, no pictograms included

Additional Information

Product Main Type	Luminaire
Application	Architectural

Ordering

EAN	5415022503494
UPC	075114400114

Dimensions

Product Net Height	182 mm
Product Net Depth / Length	235 mm
Product Net Width	84 mm
Product Net Weight	1.32741 lb 602 g

Technical

Function	Escape route signage
Mounting Type	Built-in
Degree of Protection	IP40
Viewing Distance	22 m
Lamp Type	LED not exchangeable
Number of Batteries	0
Housing Color	White
Housing Material	Aluminium
Cover Material	Plastic, Transparent
Ballast Type	LED Operating Device Current Controlled
Power Supply Type	Central (Central Battery)
Rated Voltage (U _r)	220...240 V

Environmental

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
---------------	--

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	5415022503494
Package Level 1 Height	3.43 in 87 mm
Package Level 1 Depth / Length	11.81 in 300 mm
Package Level 1 Width	8.27 in 210 mm
Package Level 1 Gross Weight	0.808 kg

Certificates and Declarations

Data Sheet, Technical Information	9AKK106354A3359
Instructions and Manuals	9AKK108467A2427
Declaration of Conformity - CE	7TKK001139
ENEC Certificate	9AKK108468A8520

Classifications

ETIM 8

EC001957 - Emergency luminaire

UNSPSC

39111709

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

