

PRODUCT-DETAILS

6017618/50

XTE350S-M3/ST



General Information

Extended Product Type	6017618/50
Product ID	7TCA309010R0041
EAN	5415022514544
Catalog Description	XTE350S-M3/ST
Long Description	Optima 350 exit sign or escape route lighting surface mounted 3hr Self Test, including flexible pictogram

Technical

Function	Escape route lighting/signage
Rated Voltage (U_r)	220 ... 240 V
Input Voltage Type	AC
Power Supply Type	Peripheral (Individual Battery)
Number of Poles	6
Number of Lamps	1
Functional Testing Capability	Automatic Self Test
Wiring Configuration	Wiring system: Continuous circuit/emergency circuit Type of wiring: Ending
Ballast Type	LED Operating Device Current Controlled
Connection Type	Screw
Lamp Type	LED not exchangeable

Light Distribution Type	Diffuser Lens Optic Panel
Marking Type	InsertSheet Plate
Mounting Type	Wall surface mounted / ceiling surface mounting
Type of Indicator	Single-sided
Cover Material	Plastic, Opal
Housing Material	Plastic
Communication	Automatic Self Test
Illuminance	150 lm
Housing Color	White
Battery Chemical Composition	Nickel-Cadmium
Battery Type	Industrial
Number of Batteries	8

Environmental

Ambient Temperature	0 ... 40 °C
Degree of Protection	IP65

Dimensions

Product Net Width	116 mm
Product Net Height	66 mm
Product Net Depth / Length	238 mm
Product Net Weight	1.08045 lb 490 g

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	590 g
UPC	075114415415

Certificates and Declarations

Declaration of Conformity - CE	9AKK107991A7354
-----------------------------------	-----------------

Installation

Instructions and Manuals	9AKK107991A6275
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK108467A2684
--------------------------------------	-----------------

Classifications

ETIM 8	EC001957 - Emergency luminaire
ETIM 9	EC001957 - Emergency luminaire
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	94056020
UNSPSC	39111709
eClass	V11.0 : 27110305
IDEA Granular Category Code (IGCC)	3940 >> Emergency light unit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Emergency Lighting

