



 PRODUCT-DETAILS

TPHE240H12WMN4T1

Surge Protective Device



General Information

Global Commercial Alias	TPHE240H12WMN4T1
Extended Product Type	TPHE240H12WMN4T1
Product ID	1TQD412240H4303
Catalog Description	Surge Protective Device
Long Description	SPD,TPHE,125kA per mode,240/120v High Leg Delta 3P4W

Technical

Rated Voltage (U_r)	240 V AC
Voltage Protection Level (U_p)	800 kV (L-N) 1000 kV (N-PE) 700 kV
Maximum Continuous Operating Voltage (U_c)	(L-PE) 270 V
Rated Service Short- Circuit Breaking Capacity (I_{cs})	200 kA
Discharge Current	Nominal (8 / 20 μ s) 20 kA I (max, 8 / 20 μ s) 240 kA
Number of Protected Poles	4

Number of Conductors	4
Transmission Standard	Acoustic Optic
Mounting Type	In Housing

Material Compliance

RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	7.46 in 189.48 mm
Product Net Height	9.50 in 241.30 mm
Product Net Depth / Length	4.95 in 125.98 mm
Product Net Weight	13 lb 5.9 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	18 lb 8.16 kg
Replacement Product ID (NEW)	2CJC124120H5204

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK107680A9448
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9391
-----------------------------------	-----------------

Classifications

ETIM 8	EC000941 - Surge protection device for power supply systems
ETIM 9	EC000941 - Surge protection device for power supply systems
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121610
eClass	V11.0 : 27130805
IDEA Granular Category Code (IGCC)	4906 >> Surge suppressers

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Surge Protective Device → Hardwired and Wall Mount

